

**Price list** P-TAD22.8  
Version: 11/2025



**agroliner Centre axle dolly trailer (Tandem)**

Type: TAD22 22 tonnes permissible total weight

Standard equipment for:

**Tyres:** 4 x 385/65R22.5 factory refurbished tyres on centre well rims, approved for 80 km/h  
**Axles:** GIGANT tapered roller bearing axles 2 x 10.0 tonnes axle load at 60 km/h (technically approved up to 105 km/h) with compact bearing, without ABS & automatic slack adjuster, 2040 mm track width, wheel brake 420 x 180 mm  
**Springs:** 20 tonnes GIGANT air suspension without lifting/lowering function  
**Draw gear:** rigid towing device with Scharmüller parallel shank drawbar head type K80, 4 tonnes drawbar load up to 40 km/h (2 tonnes above 40 km/h), double acting hydraulic jack with locking block  
**Chassis frame:** double T welded construction, when using weight-optimised high-strength fine-grained steels  
**Fifth wheel coupling:** fixed fifth wheel coupling, brand JOST, with manual adjustment by relocating the bolts, construction height 185 mm plus mounting plate 40 mm  
**Brake system:** dual line service brake system with automatic load-dependent brake force control (ALB), 4 x diaphragm brake cylinder, automatic parking brake (spring-type cylinder)  
**Electrical system:** 12 volt system according to the guidelines of the StVZO (German traffic laws) with 7-pin connecting cable, triangular reflector and yellow side reflectors, 3 function lights (rubber mounted), number plate lights, position lights on the rear  
**Accessories:** 2 x wheel chocks with bracket, plastic mudguard (quarter circle), light and air connections for the vehicle to be hitched, inclination adjustable hose cabinet for all supply lines  
Info: no power supply lines are included in the standard equipment.  
**Paintwork:** Vehicle sprayed, dressed, degreased and additionally phosphated, cathodic dip painted (CDP), top coat using powder coating  
**Chassis:** RAL 7021 black grey  
**Technical data:**  
permissible total weight: 22,000 kg (up to 40 km/h)  
Empty weight: approx. 2,900 kg (depending on equipment)  
Drawbar load: 4,000 kg (up to 40 km/h)  
Dimensions: approx. L 5,280 mm x W 2,500 mm  
Saddle height: approx. 1280 mm (with standard tyres)  
possible trailer lengths: up to approx. 11,000 mm trailer length (depending on tractor vehicle, if the saddle turning point is > 1800 mm, the coupling plate must be moved observe the total vehicle length)

(We reserve the right to make technical modifications; vehicles of this vehicle type may be towed only behind agricultural or forestry tractors as standard. Otherwise, special vehicle equipment must be selected; consulting is required)



